



### Pharmacology Quiz

Name: \_\_\_\_\_

Score: \_\_\_\_\_

Please, circle the correct letter for your answer.

1. Colace
  - a. Stool softener
  - b. Corticosteroid
  - c. Analgesic
  
2. Penicillin K 1,200,000 mg has been ordered for your patient. The available tablets are 400,000 mg each. How many tablets will you give?
  - a. 30 tab
  - b. 3.3 tab
  - c. 3 tab
  - d. 4 tab
  
3. Dilaudid 3mg IM is ordered for your patient. The only available dosage strength is 4mg/ml. What amount will you give?
  - a. 0.50 ml
  - b. 0.75 ml
  - c. 1.33 ml
  - d. 1.5 ml
  
4. Antidote to Coumadin:
  - a. Lovenox
  - b. Fragmin
  - c. Vitamin K
  
5. Three milligrams of Haldol IM are ordered for your patient. On your unit, Haldol is available in 2ml ampoules that contain 5mg/ml. What amount will you give?
  - a. 1.67 ml
  - b. 10 ml
  - c. 6 ml
  - d. 0.6 ml
  
6. Digoxin:
  - a. Cardiac Glycoside
  - b. Anti-Emetic
  - c. Benzodiazepine



7. Solu-Cortef is available in 100mg/2ml IM solution. Your patient is to receive 50 mg IM. What amount will you give?
  - a. 4 ml
  - b. 0.25 ml
  - c. 1.5 ml
  - d. 1 ml
  
8. You are to give 30 mg of Inderal. The available dosage strength is a scored 60 mg tablet. What amount will you give?
  - a. 0.5 tablet
  - b. 2 tablets
  - c. 1 tablet
  - d. 4 tablets
  
9. Morphine Sulfate
  - a. Anticholinergic
  - b. Narcotic Antagonist
  - c. Opioids
  
10. Convert 5000ml to liters
  - a. 50 L
  - b. 500 L
  - c. 5 L
  
11. Ferrous Sulfate
  - a. Diuretic
  - b. Iron
  - c. Multivitamin
  
12. Lasix
  - a. Calcium Channel Blocker
  - b. Diuretic
  - c. Narcotic Analgesic
  
13. Convert 250 mg to Grams:
  - a. 25 Grams
  - b. 2.5 Grams
  - c. 0.25 Grams
  
14. Pepcid
  - a. Anti-emetic
  - b. H2 Blocker/acid reducer
  - c. Anti-convulsant



15. Dymelor 0.75g is ordered. Scored tablets are labeled 500 mg each. How many tablets will you give?
- a. 6.5 tabs
  - b. 1.5 tabs
  - c. 2 tabs
  - d. None of the above
16. Convert 2.5 liters to milliliters:
- a. 250ml
  - b. 2500ml
  - c. 25,000ml
17. Antidote to Heparin:
- a. Vitamin K
  - b. Protamine Sulfate
  - c. Green leafy vegetables
18. Convert 1750 ml to liters:
- a. 17.5L
  - b. 175L
  - c. 1.75L
19. Antidote to Morphine:
- a. Valium
  - b. Narcan
  - c. Librium
20. Convert 0.75g to mg:
- a. 750mg
  - b. 7.5mg
  - c. 75mg
21. Azulfidine 1.5g has been ordered every twelve hours. The available tablets are 500 mg each. What amount will you give?
- a. 3 tabs
  - b. 0.5 tabs
  - c. 2 tabs
  - d. 2.5 tabs



22. Thorazine 30mg IM is ordered for your patient. The amount available in concentration is 25mg/ml. What amount will you give?
- a. 1.2 ml
  - b. 12 ml
  - c. 0.83 ml
  - d. 1.4 ml
23. Premarin 1.25mg is ordered daily for your patient. The only available tablet strength is 625mcg. What amount will you give?
- a. 2 tabs
  - b. 0.5 tabs
  - c. 2.5 tabs
  - d. None of the above
24. Coumadin:
- a. Thrombolytic
  - b. Vasodilator
  - c. Anticoagulant
25. Thorazine 37.5 mg has been ordered for your patient. The only available dosage is 25mg/ml. What amount will you give?
- a. 1.5ml
  - b. 15ml
  - c. 0.67 ml
  - d. 2ml

**Applicant Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_